

Building B Langford Locks Kidlington Oxfordshire OX5 1LH United Kingdom Tel: +44 (0)1865 595230

Antibody Datasheet / Certificate of Analysis

Product Name: Human IgG1 anti-Flavivirus Envelope protein

- Antibody: This humanised IgG1 anti flavivirus envelope protein monoclonal antibody has been prepared by chimerization from the mouse monoclonal antibody clone 4G2. The original variable domains of this antibody have been retained, whilst the constant regions have been replaced with human IgM. The antibody is then expressed in HEK293 cells
- Clone number: 4G2
- Isotype: Human IgG1
- Product code: MAB12268-100
- **Batch Number:**
- Immunogen: Dengue Virus Type 2 antigen
- Amount: 100ug
- Concentration: 1.0 mg/ml
- Buffer: Phosphate Buffered Saline pH7.4
- **Preservative:** 0.02% Proclin 300.
- Purification:Antibody was purified from hybridoma cell culture supernatant by affinity
chromatography on Protein A
- Specificity:Recognises flavivirus group specific antigens (Dengue virus, West Nile Virus,
Japanese Encephalitis, Zika virus etc). It binds to the fusion loop at the extremity
of domain II of protein E.





Applications:	ELISA Neutralisation Western Blot (non-reducing conditions) Flow cytometry
Antigen background:	This antibody binds to a conserved epitope on the E protein of the flavivirus family. It has been shown to recognise Dengue virus, West Nile virus, Japanese Encephalitis virus and Zika Virus (Aubry et al. 2016). It binds to the fusion loop at the extremity of domain II of E protein and prevents syncytia formation (Summers, 1989). The epitope is highly conserved amongst flaviviridae and has been functionally analyzed in detail by Crill and Chang (2004)
References:	Nawa, M. et al (2001) Development of dengue IgM-capture enzyme-linked immunosorbent assay with higher sensitivity using monoclonal detection antibody. J. Virol Methods <u>92</u> :65-70.
	Aubry, M. et al (2016) Inactivation of Zika virus in plasma with amotosalen and ultraviolet A illumination. Transfusion <u>56</u> :33-40
	Summers, P. et al (1989) Flaviviruses can mediate fusion from without in Aedes albopictus mosquito cell cultures. Virus Res. <u>12</u> :383-392
	Crill, W. and Chang, G. (2004) Localization and characterization of flavivirus envelope glycoprotein cross-reactive epitopes. J. Virol. <u>78</u> :13975 - 86
Recommended secondary antibody:	Goat anti-human IgG:HRP Product code: PAB21444HRP-1000
Storage:	Store at +4 ^o C for up to three months, or at -20 ^o C for longer periods The antibody is shipped at ambient temperature. Avoid repeated freeze/thaw cycles.





Direct ELISA data

Dengue Virus Serotype 2 VLP (DENV2-VLP-100 from Native Antigen) coated onto a plate at 5µg/ml. Antiflavivirus antibody (AbFLAVENV-4G2) was added to plate in a 3-fold serial dilution starting at 1000 ng/ml. Detection performed using HRP labelled goat anti-mouse IgG (AbD Serotec, 0300-0108P).



