

219 North Arkansas Street Rogers, AR 72756

Phone: (479) 636-4361; 800-643-3426

Fax: (479) 636-3562

Email: <u>biosales@pel-freez.com</u>
Website: <u>www.pelfreez-bio.com</u>

## PRODUCT DATA SHEET

Product Name: ANTI-GluR1 ANTIBODY

Product Code: P80000-100

Pack Size: 100 μL

**Description:** The ion channels activated by glutamate are typically divided into two classes. Those that are sensitive to N-methyl-D-aspartate (NMDA) are designated NMDA receptors (NMDAR) while those activated by  $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxalone propionic acid (AMPA) are known as AMPA receptors (AMPAR). The AMPAR are comprised of four distinct glutamate receptor subunits designated (GluR1-4) and they play key roles in virtually all excitatory neurotransmission in the brain (Keinänen et al., 1990;Hollmann and Heinemann, 1994).

Physical State: Liquid; Buffer contents: 10 mM

HEPES (pH 7.5), 150 mM NaCl, 100 μg per mL BSA and 50% glycerol

**Storage/Stability:** Stable at -20 °C for at least 1 year.

For long term storage -20 °C is

recommended

**Purification** 

Method:

Protein G purified culture supernatant

**Shipping** Domestic: Blue Ice

Conditions: International: Blue Ice or Dry Ice

Host Species: Mouse (Monoclonal)

**Isotype:** IgG2a *M***r (kDa):** 105

**Immunogen:** Peptide corresponding to amino acid residues from the N-terminal region of rat GluR1.


**Species Reactivity:** The antibody has been directly tested for reactivity in Western blots with mouse and rat tissue.

## **Recommended Antibody Dilutions:**

WB: 1:1000

## References:

- 1) Chung HJ et al. (2003) Science 300:1751-1755.
- 2) Hollmann M et al. (1994) *Annu Rev Neurosci* 17:31-108.
- 3) Keinänen K et al. (1990) Science 249:556-560.



 $Application \ Key: \ WB-Western \ Blot \ IF-Immunofluorescence \ IHC-Immunohistochemistry \ IP-Immunoprecipitation$ 

P/N: 74094 Rev 02 Page 1 of 1