

Rudolf-Wissell-Str. 28 37079 Göttingen, Germany

Phone: +49 551-50556-0
Fax: +49 551-50556-384
E-mail: sales@sysy.com
Web: www.sysy.com

CD 11c

Cat.No. HS-375 003; Polyclonal rabbit antibody, 200 µl specific antibody (lyophilized)

Data Sheet

Reconstitution/ Storage	200 μ l specific antibody, lyophilized. Affinity purified with the immunogen. Rabbit serum albumin was added for stabilization. For reconstitution add 200 μ l H ₂ O to get a 1mg/ml solution in PBS. Then aliquot and store at -20°C until use.
Applications	IHC-P/FFPE: 1:100
Immunogen	Synthetic peptide corresponding to AA 1159 to 1169 from mouse CD11c (UniProt Id: Q9QXH4)
Reactivity	Reacts with: mouse (Q9QXH4). No signal: rat, human (P20702). Other species not tested yet.
Specificity	Specific for CD 11c.
matching control	375-0P

TO BE USED IN VITRO / FOR RESEARCH ONLY NOT TOXIC, NOT HAZARDOUS, NOT INFECTIOUS, NOT CONTAGIOUS

CD 11c or Integrin alpha-**X** (ITGAX) is a heterodimeric glycoprotein consisting of an α- and β-subunit and has seven repeating integrin domains. This transmembrane receptor type I plays a pivotal role in T cell killing and mediates intercellular adhesions during inflammation. Predominat expression levels have been found in dendritic cells, monocytes, macrophages, neutrophils and a small subset of B cells. Under pathological conditions, CD 11c is a marker for hairy cell leukemia, acute non-lymphocytic leukemias, and some chronic lymphocytic leukemias.

Selected General References

Myeloid blood CD11c(+) dendritic cells and monocyte-derived dendritic cells differ in their ability to stimulate T lymphocytes. Osugi Y, Vuckovic S, Hart DN

Blood (2002) 100(8): 2858-66.

Expression of the CD11c antigen in B-cell chronic lymphoproliferative disorders.

Marotta G, Raspadori D, Sestigiani C, Scalia G, Bigazzi C, Lauria F

Leukemia & lymphoma (2000) 37(1-2): 145-9.

CD11c integrin gene promoter activity during myeloid differentiation.

Córbi AL. Lopéz-Rodríguez C

Leukemia & lymphoma (1997) 25(5-6): 415-25.

Identification of Sp1-binding sites in the CD11c (p150,95 alpha) and CD11a (LFA-1 alpha) integrin subunit promoters and their involvement in the tissue-specific expression of CD11c.

López-Rodríguez C. Chen HM. Tenen DG. Corbí AL

European journal of immunology (1995) 25(12): 3496-503.