

Homer 1b/c

Cat.No. 160 022; Polyclonal rabbit antibody, 200 µl antiserum (lyophilized)

Data Sheet

Reconstitution/ Storage	200 µl antiserum, lyophilized. For reconstitution add 200 µl H ₂ O, then aliquot and store at -20°C until use.
Applications	WB: 1 : 1000 (AP staining) IP: not tested yet ICC: 1 : 500 IHC: not tested yet IHC-P/FFPE: not tested yet
Immunogen	Recombinant protein corresponding to AA 152 to 354 from human Homer1b/c (UniProt Id: Q86YM7-1)
Reactivity	Reacts with: rat (Q9Z214), mouse, human. Other species not tested yet.
Specificity matching control	Specific for homer 1b and 1c; no cross-reactivity to homer 1a. 160-02P

TO BE USED IN VITRO / FOR RESEARCH ONLY NOT TOXIC, NOT HAZARDOUS, NOT INFECTIOUS, NOT CONTAGIOUS

Homer is a scaffolding protein of the post synaptic density (PSD) and enriched at excitatory synapses. The protein binds metabotropic glutamate receptors, TRPC1, proteins of the Shank family and others. By aggregating these proteins into clusters, homer was suggested to organize distinct signalling domains.

Three isoforms, **Homer 1**, 2 and 3 have been described. Each of these isoforms is subject to alternative splicing yielding the splice variants a, b, c, d.

Selected References SYSY Antibodies

Pharmacological enhancement of mGlu5 receptors rescues behavioral deficits in SHANK3 knock-out mice.
 Vicidomini C, Ponzoni L, Lim D, Schmeisser MJ, Reim D, Morello N, Orellana D, Tozzi A, Durante V, Scalmani P, Mantegazza M, et al.
Molecular psychiatry (2017) 22(5): 689-702. **WB; tested species: mouse**

Effects of trace metal profiles characteristic for autism on synapses in cultured neurons.
 Hagemeyer S, Mangus K, Boeckers TM, Grabrucker AM
Neural plasticity (2015) 2015: 985083. **ICC**

Selected General References

Surface clustering of metabotropic glutamate receptor 1 induced by long Homer proteins.
 Kammermeier PJ
BMC neuroscience (2006) 7: 1.

Homer 1a enhances spike-induced calcium influx via L-type calcium channels in neocortex pyramidal cells.
 Yamamoto K, Sakagami Y, Sugiura S, Inokuchi K, Shimohama S, Kato N
The European journal of neuroscience (2005) 22(6): 1338-48.

Differential expression of Homer family proteins in the developing mouse brain.
 Shiraiishi Y, Mizutani A, Yuasa S, Mikoshiba K, Furuchi T
The Journal of comparative neurology (2004) 473(4): 582-99.

Modulation of synaptic signalling complexes by Homer proteins.
 Thomas U
Journal of neurochemistry (2002) 81(3): 407-13.

Homer-dependent cell surface expression of metabotropic glutamate receptor type 5 in neurons.
 Anglo F, Robbe D, Tu JC, Xiao B, Worley PF, Pin JP, Bockaert J, Fagni L
Molecular and cellular neurosciences (2002) 20(2): 323-9.

An N-terminal sequence specific for a novel Homer1 isoform controls trafficking of group I metabotropic glutamate receptor in mammalian cells.
 Saito H, Kimura M, Inanobe A, Ohe T, Kurachi Y
Biochemical and biophysical research communications (2002) 296(3): 523-9.

Regulation of dendritic spine morphology and synaptic function by Shank and Homer.
 Sala C, Piéch V, Wilson NR, Passafaro M, Liu G, Sheng M
Neuron (2001) 31(1): 115-30.

Homer-1c/Vesl-1L modulates the cell surface targeting of metabotropic glutamate receptor type 1alpha: evidence for an anchoring function.
 Ciruela F, Soloviev MM, Chan WY, McIlhinney RA
Molecular and cellular neurosciences (2000) 15(1): 36-50.

Homer: a link between neural activity and glutamate receptor function.
 Xiao B, Tu JC, Worley PF
Current opinion in neurobiology (2000) 10(3): 370-4.

Molecular characterisation of two structurally distinct groups of human homers, generated by extensive alternative splicing.
 Soloviev MM, Ciruela F, Chan WY, McIlhinney RA
Journal of molecular biology (2000) 295(5): 1185-200.

Coupling of mGluR/Homer and PSD-95 complexes by the Shank family of postsynaptic density proteins.
 Tu JC, Xiao B, Naïsbit S, Yuan JP, Petralia RS, Brakeman P, Doan A, Aakalu VK, Lanahan AA, Sheng M, Worley PF, et al.
Neuron (1999) 23(3): 583-92.

Homer: a protein that selectively binds metabotropic glutamate receptors.
 Brakeman PR, Lanahan AA, O'Brien R, Roche K, Barnes CA, Huganir RL, Worley PF
Nature (1997) 386(6622): 284-8.