

Shank 2

Cat.No. 162 204; Polyclonal Guinea pig antibody, 100 µl antiserum (lyophilized)

Data Sheet

Reconstitution/ Storage	100 µl antiserum, lyophilized. For reconstitution add 100 µl H ₂ O, then aliquot and store at -20°C until use.
Applications	WB: 1 : 1000 up to 1 : 5000 (AP staining) IP: not tested yet ICC: 1 : 1000 up to 1 : 2000 IHC: 1 : 500 IHC-P/FFPE: 1 : 500
Immunogen	Recombinant protein corresponding to AA 1042 to 1475 from rat Shank2 (UniProt Id: Q9QX74)
Reactivity	Reacts with: rat (Q9QX74), mouse (Q80Z38). Other species not tested yet.
Specificity	Specific for shank 2.

TO BE USED IN VITRO / FOR RESEARCH ONLY

NOT TOXIC, NOT HAZARDOUS, NOT INFECTIOUS, NOT CONTAGIOUS

Shank 1, 2 and 3 are major proteins of the postsynaptic density (PSD). They are composed of several protein-protein interaction domains like PDZ-, homer- and ABP 1-binding domains which allow them to crosslink ionotropic and metabotropic glutamate receptor complexes with each other and to the actin-cytoskeleton.

Selected References SYSY Antibodies

The Exocyst Component Exo70 Modulates Dendrite Arbor Formation, Synapse Density, and Spine Maturation in Primary Hippocampal Neurons.
Lira M, Arancibia D, Orrego PR, Montenegro-Venegas C, Cruz Y, García J, Leal-Ortiz S, Godoy JA, Gundelfinger ED, Inestrosa NC, Garner CC, et al.
Molecular neurobiology (2018) : . **ICC; tested species: rat**

Cell-Type-Specific Shank2 Deletion in Mice Leads to Differential Synaptic and Behavioral Phenotypes.
Kim R, Kim J, Chung C, Ha S, Lee S, Lee E, Yoo YE, Kim W, Shin W, Kim E
The Journal of neuroscience : the official journal of the Society for Neuroscience (2018) 38(17): 4076-4092. **IHC; tested species: mouse**

Inositol polyphosphate multikinase mediates extinction of fear memory.
Park J, Longo F, Park SJ, Lee S, Bae M, Tyagi R, Han JH, Kim S, Santini E, Klann E, Snyder SH, et al.
Proceedings of the National Academy of Sciences of the United States of America (2019) : . **IHC; tested species: mouse**

Selected General References

Key role of the postsynaptic density scaffold proteins Shank and Homer in the functional architecture of Ca²⁺ homeostasis at dendritic spines in hippocampal neurons.
Sala C, Roussignol G, Meldolesi J, Fagni L
The Journal of neuroscience : the official journal of the Society for Neuroscience (2005) 25(18): 4587-92.

Shank expression is sufficient to induce functional dendritic spine synapses in aspiny neurons.
Roussignol G, Ango F, Romorini S, Tu JC, Sala C, Worley PF, Bockaert J, Fagni L
The Journal of neuroscience : the official journal of the Society for Neuroscience (2005) 25(14): 3560-70.

Postsynaptic shank antagonizes dendrite branching induced by the leucine-rich repeat protein Densin-180.
Quitsch A, Berhörster K, Liew CW, Richter D, Kreienkamp HJ
The Journal of neuroscience : the official journal of the Society for Neuroscience (2005) 25(2): 479-87.

Linkage of the actin cytoskeleton to the postsynaptic density via direct interactions of Abp1 with the ProSAP/Shank family.
Qualmann B, Boeckers TM, Jeromin M, Gundelfinger ED, Kessels MM
The Journal of neuroscience : the official journal of the Society for Neuroscience (2004) 24(10): 2481-95.

Crystal structure of the Shank PDZ-ligand complex reveals a class I PDZ interaction and a novel PDZ-PDZ dimerization.
Im YJ, Lee JH, Park SH, Park SJ, Rho SH, Kang GB, Kim E, Eom SH
The Journal of biological chemistry (2003) 278(48): 48099-104.

ProSAP/Shank proteins - a family of higher order organizing molecules of the postsynaptic density with an emerging role in human neurological disease.
Boeckers TM, Bockmann J, Kreutz MR, Gundelfinger ED
Journal of neurochemistry (2002) 81(5): 903-10.

Regulation of dendritic spine morphology and synaptic function by Shank and Homer.
Sala C, Piëch V, Wilson NR, Passafaro M, Liu G, Sheng M
Neuron (2001) 31(1): 115-30.

The G protein-coupled receptor CL1 interacts directly with proteins of the Shank family.
Tobaben S, Südhof TC, Stahl B
The Journal of biological chemistry (2000) 275(46): 36204-10.

The Shank family of scaffold proteins.
Sheng M, Kim E
Journal of cell science (2000) 113 (Pt 11): 1851-6.

Shank, a novel family of postsynaptic density proteins that binds to the NMDA receptor/PSD-95/GKAP complex and cortactin.
Naisbitt S, Kim E, Tu JC, Xiao B, Sala C, Valtschanoff J, Weinberg RJ, Worley PF, Sheng M
Neuron (1999) 23(3): 569-82.