

SynGAP

Rudolf-Wissell-Str. 28 37079 Göttingen, Germany

Phone: +49 551-50556-0
Fax: +49 551-50556-384
E-mail: sales@sysy.com
Web: www.sysy.com

Cathle AFT OR control and the AGO or and the Account of the Accoun

Cat.No. 157-0P; control peptide, 100 µg peptide (lyophilized)

Data Sheet

Reconstitution/ Storage	100 μg peptide, lyophilized. For reconstitution add 100 μl H ₂ O to get a 1mg/ml solution in PBS. Then aliquot and store at -20°C until use. Control peptides should also be stored at -20°C when still lyophilized!
Immunogen	Synthetic peptide corresponding to AA 1274 to 1293 from rat SynGAP (UniProt Id: Q9QUH6)
Recommended dilution	Optimal concentrations should be determined by the end-user.
matching antibodies	157 002, 157 003
Remarks	This control peptide consists of the peptide (KRLLDAQRGSFPPWVQQTRV) that has been used for immunization. It has been tested in preadsorption experiments and blocks efficiently and specifically the corresponding signal in Western blots. The amount of peptide needed for efficient blocking depends on the titer and on the affinity of the antibody to the antigen.

TO BE USED IN VITRO / FOR RESEARCH ONLY NOT TOXIC, NOT HAZARDOUS, NOT INFECTIOUS, NOT CONTAGIOUS

SynGAP is an approximately 135 kDa protein which is condensed at the post-synaptic density. A potential interaction partner for this protein is the abundant PDZ domain protein PSD 95. Three isoforms (a, b and c) of synGAP have been described. The protein is a substrate for calmodulin dependent kinase 2 (CAMK2). Phosphorylation of synGAP reduces its activity, leading to an increased activation of Ras.

Selected General References

A role for synGAP in regulating neuronal apoptosis. Knuesel I, Elliott A, Chen HJ, Mansuy IM, Kennedy MB The European journal of neuroscience (2005) 21(3): 611-21.

SynGAP regulates spine formation.

Vazquez LE, Chen HJ, Sokolova I, Knuesel I, Kennedy MB

The Journal of neuroscience: the official journal of the Society for Neuroscience (2004) 24(40): 8862-72.

SynGAP-MUPP1-CaMKII synaptic complexes regulate p38 MAP kinase activity and NMDA receptor-dependent synaptic AMPA receptor potentiation.

Krapivinsky G, Medina I, Krapivinsky L, Gapon S, Clapham DE

Neuron (2004) 43(4): 563-74.

Regulation of the neuron-specific Ras GTPase-activating protein, synGAP, by Ca2+/calmodulin-dependent protein kinase II.

Oh JS. Manzerra P. Kennedy MB

The Journal of biological chemistry (2004) 279(17): 17980-8.

SynGAP regulates ERK/MAPK signaling, synaptic plasticity, and learning in the complex with postsynaptic density 95 and NMDA receptor.

Komiyama NH, Watabe AM, Carlisle HJ, Porter K, Charlesworth P, Monti J, Strathdee DJ, O'Carroll CM, Martin SJ, Morris RG, O'Dell TJ, et al.

 $The \ Journal\ of\ neuroscience: the\ official\ journal\ of\ the\ Society\ for\ Neuroscience\ (2002)\ 22(22):\ 9721-32.$

SynGAP: a synaptic RasGAP that associates with the PSD-95/SAP90 protein family.

Kim JH, Liao D, Lau LF, Huganir RL

Neuron (1998) 20(4): 683-91.