



MROY

- 659L/H
 - 211bar
 - 10:1 ± 1%
 - 3
-

- /
-
-
-
-
-

-
-
-
- PVC PVDF 316SS 20 #

- - (/)
-

- / /
 -
-





MROY

/

					SPM(ref) 1425rpm	cp	(l/h) - 1425rpm						
							7bar	14bar	20bar	24bar	7bar	10bar	
A	7/16" (Φ11.1mm)	20.8 mm	RA002	48:1	30	7500	2.5	2.2	2.1	2.1	2.0	1.9	0.25kW
			RA008	15:1	96	2000	8.8	8.5	8.5	8.2	7.9	7.5	
	5/8" (Φ15.9mm)		RA005	48:1	30	5000	5.6	5.3	5.0	5.0	5.0	4.7	
	1-1/16" (Φ27.0mm)		RA020	48:1	30	150	19	19	18	17	18	18	
			RA040	24:1	60	75	39	38	36	36	36	35	
			RA060	15:1	96	40	61	60	58	57	57	57	
			RA090	9.5:1	152	35	94	91	-----	-----	-----	-----	
			RA120	8:1	178	30	116	112	-----	-----	-----	-----	

					SPM(ref) 1425rpm	cp	(l/h) - 1425rpm				
							7bar	14bar	20bar	24bar	
P	7/16" (Φ11.1mm)	20.8 mm	RP001	77:1	19	12200	1.6	1.6	1.5	1.5	0.25kW
			RP002	48:1	30	7500	2.3	2.2	2.1	2.0	
			RP008	15:1	96	2000	7.9	7.7	7.3	7.2	
	5/8" (Φ15.9mm)		RP005	48:1	30	5000	5.0	4.7	4.5	4.4	
	RP011		24:1	60	2500	11.0	10.7	10.3	10.0		
	RP015		15:1	96	1250	17.6	17.0	16.7	16.0		
	RP020		12:1	120	600	21.9	21.1	20.7	19.9		
	1-1/16" (Φ27.0mm)		RP035	24:1	60	1000	34.6	33.9	32.1	31.1	
			RP050	15:1	96	500	55.0	54.4	52.2	50.9	
			RP070	12:1	120	300	68.4	67.6	64.9	63.3	

					SPM(ref) 1425rpm	cp	(l/h) - 1425rpm						
							7bar	28bar	55bar	83bar	103bar	124bar	
H	7/16" (Φ11.1mm)	20.8 mm	RH002	77:1	19	2660	1.8	1.7	1.6	1.4	1.4	1.2	0.25kW
			RH003	48:1	30	1760	2.5	2.2	1.9	1.9	1.9	1.9	
			RH005	24:1	60	720	5.3	5.0	4.7	4.4	4.1	3.8	
			RH009	15:1	96	310	8.8	8.2	7.9	7.2	6.6	6.3	
			RH014	9.5:1	152	210	13.8	12.9	12.6	11.4	10.4	9.7	
			RH015	8:1	178	180	17.0	15.8	15.4	13.9	12.7	12.0	

					SPM(ref) 1425rpm	cp	(l/h) - 1425rpm								
							7bar	17bar	24bar	28bar	67bar	103bar		7bar	10bar
B	19/32" ⁽³⁾ (15.1mm)	40.6 mm	RB020	25:1	60	102	22	22	21	21	19	18	22.0	21.7	0.75kW
			RB030	19:1	80	74	30	29	28	28	22	22	29.8	29.5	
			RB040	12:1	120	44	42	40	40	40	38	36	41.8	41.5	
			RB050	9.5:1	152	38	55	54	53	53	49	47	54.8	54.5	
			7/8" (Φ22.2mm)	RB070	19:1	80	169	66	64	62	61	50	-----	66	
	1-7/16" (Φ36.5mm)		RB090	12:1	120	114	96	94	92	91	80	-----	96	95	
			RB120	9.5:1	152	88	125	122	120	119	105	-----	125	124	
			RB180	19:1	80	58	179	171	166	160	-----	-----	179	176	
			RB270	12:1	120	34	267	259	254	248	-----	-----	267	264	
			RB330	9.5:1	152	26	329	318	310	303	-----	-----	329	326	
D (B) (Φ36.5mm)	1-7/16"	RD170	38:1	40	100	170	152	142	-----	-----	-----	170	163	1.1kW	
		RD260	25:1	60	80	264	246	236	-----	-----	-----	264	258		
		RD360	19:1	80	58	358	340	-----	-----	-----	-----	358	352		
		RD530	12:1	120	34	534	516	-----	-----	-----	-----	534	528		
		RD660	9.5:1	152	26	659	639	-----	-----	-----	-----	659	651		

					SPM(ref) 1425rpm	cp	(l/h) - 1425rpm			
							140bar	175bar	211bar	
T	11/32" (Φ8.7mm)	20.8 mm	RT001	48:1	30	1760	1.4	1.3	1.2	0.55kW
			RT002	24:1	60	700	2.8	2.5	2.3	
			RT004	15:1	96	337	4.3	4.0	3.8	
			RT006	9.5:1	152	143	6.8	6.4	6.0	
			RT007	8:1	180	95	8.1	7.6	7.1	
W	1/2" (Φ12.7mm)	40.6 mm	RW008	38:1	40	650	8.8	8.4	7.8	1.1kW
			RW012	25:1	60	285	13.5	12.6	11.9	
			RW015	19:1	80	160	18.3	17.0	15.8	
			RW025	12:1	120	43	29.0	27.1	25.2	
			RW030	9.5:1	152	41	34.1	31.9	29.7	



PVC	PVC	PVC	PVC		PTFE		--
PVDF	PVDF	PVDF	PVDF		PTFE		--
316 SS	316 SS	316 SS	316 SS		PTFE		316 SS
20 #	20 #	20 #	20 #	20 #	PTFE		C276
C22	C22	C22	C22	C22	PTFE		C276

MROY

	A(mm)	B(mm)	C(mm)	D(max)(mm)
RA, RH, RP	302	152	267	609
RB	476	192	343	650
XT	384	165	N/A	497
XW	567	204	N/A	705

RA, RH, RP, XT	RA, RH, RP, XT	RB, XW	RB, XW



汉胜工业设备(上海)有限公司

www.hsis.com.cn

879 1	C 1801	6	233	18	55
201108	100020	1509	16 D-1	9 E	
(021)54425055	(010)59070641	510620	610016	710003	
(021)54425266	(010)59070640	(020)38912408	(028)86199340	(029)87208269	
		(020)38912591	(028)86199341	(029)87208091	