



ENP-0812A

125W



Features

- SFX Rev 1.1 Compliant
- High Efficiency
- Remote On/Off
- Power good TTL Signal
- Short Circuit, Over Current & Voltage Protection
- Auto-Sensing Thermal Control
- Low Acoustic Noise

Apply For

- All Intel Processors up to PIII and Celeron
- All AMD Processors up to Duron



Electrical Specifications

- Input Voltage 100 ~ 127 VAC
200 ~ 240 VAC
Manual Select
- Frequency 47 ~ 63 Hz
- Input current 4.0 Arms @ 115 VAC
2.0 Arms @ 230 VAC
- Holdup Time > 14 ms @ Full Load

Environmental Specifications

- Operating/Storage Temp. 10~50°C/-20~60°C
- Operating/Storage Humidity 85% / 95%
- Operating/Storage Altitude 10,000/50,000 FT
- MTBF 100,000 HRS
- Safety Approvals UL/CUL, CB, TUV
- EMC Regulations FCC, CE

Output Specifications

Voltage	Regulation Load	Minimum Load	Maximum Load	Peak
+3.3V	+5%	0.2A	10.0A	--
+5.0V	+/- 5%	1.0A	12.0A	14.0A
+12.0V	+/- 5%	0.5A	3.0A	5.0A
-12.0V	+/- 10%	0A	0.3A	--
-5.0V	+/- 10%	0A	0.2A	Optional
+5 Vsb	+/- 5%	0A	0.8/2.0A	--

(*) Total maximum combines load output on +3.3V and +5V rails is 83 Watts.

SFX




ENP-0812A

125W

Mechanical Drawing

SFX






ENP-0812A

125W


Wire Harness

Description


P1 - Main Power



P2 to P3 – Peripheral



P4 – Floppy



Connector Housing

Molex 39-01-2200 or Equivalent

1	Orange	+3.3V	11	Orange	+3.3V
2	Orange	+3.3V	12	Blue	-12VDC
3	Black	GND	13	Black	GND
4	Red	+5V	14	Green	PS_ON
5	Black	GND	15	Black	GND
6	Red	+5V	16	Black	GND
7	Black	GND	17	Black	GND
8	Gray	PWR OK	18	White	-5V
9	Purple	5 VSB	19	Red	+5V
10	Yellow	+12V	20	Red	+5V

Molex 8981-04P of Equivalent

1	Yellow	+12V
2	Black	GND
3	Black	GND
4	Red	+5V

AMP 171822-4 or Equivalent

1	Red	+5V
2	Black	GND
3	Black	GND
4	Yellow	+12V

SFX

Dimension (WxLxH)

- 82 x 150 x 43 (mm)
- 3.2 x 5.9 x 1.7 (inch)

Cooling Fan

- 12V DC, 40 x 40 x 10 mm

Notes

•Specification subject to change without notice. All new processors support will be updated once official announced by vendors

•Last Update: 9/30/2009