




## 法兰 Flange



Welding Neck Flange



Slip-on Flange




Blank Flange


### B16.5 150LBS

| Size   | D     | K     | G     | B    | H     | A     | M     | J     | L    | SXC     | WEIGHT(kg) |      |      |
|--------|-------|-------|-------|------|-------|-------|-------|-------|------|---------|------------|------|------|
|        |       |       |       |      |       |       |       |       |      |         | WN         | SO   | BL   |
| 1/2"   | 88.9  | 60.3  | 34.9  | 11.1 | 47.6  | 21.3  | 30.2  | 22.3  | 15.9 | 4×15.9  | 0.5        | 0.4  | 0.4  |
| 3/4"   | 98.4  | 69.8  | 42.9  | 12.7 | 52.4  | 26.7  | 38.1  | 27.7  | 15.9 | 4×15.9  | 0.7        | 0.7  | 0.7  |
| 1"     | 107.9 | 79.4  | 50.8  | 14.3 | 55.6  | 33.5  | 49.2  | 34.5  | 17.5 | 4×15.9  | 1.1        | 0.8  | 0.9  |
| 1-1/4" | 117.5 | 88.9  | 63.5  | 15.9 | 57.1  | 42.2  | 58.8  | 43.2  | 20.6 | 4×15.9  | 1.5        | 1.1  | 1.3  |
| 1-1/2" | 127.0 | 98.4  | 73.0  | 17.5 | 61.9  | 48.3  | 65.1  | 49.5  | 22.2 | 4×15.9  | 1.8        | 1.4  | 1.6  |
| 2"     | 152.4 | 120.6 | 92.1  | 19.0 | 63.5  | 60.3  | 77.8  | 62.0  | 25.4 | 4×19.0  | 2.7        | 2.2  | 2.6  |
| 2-1/2" | 177.8 | 139.7 | 104.8 | 22.2 | 69.8  | 73.1  | 90.5  | 74.7  | 28.6 | 4×19.0  | 4.4        | 3.6  | 4.1  |
| 3"     | 190.5 | 152.4 | 127.0 | 23.8 | 69.8  | 88.9  | 107.9 | 90.7  | 30.2 | 4×19.0  | 5.2        | 4.1  | 5.0  |
| 3-1/2" | 215.9 | 177.8 | 139.7 | 23.8 | 71.4  | 101.6 | 122.2 | 103.4 | 31.7 | 8×19.0  | 6.4        | 5.2  | 6.4  |
| 4"     | 228.6 | 190.5 | 157.2 | 23.8 | 76.2  | 114.3 | 134.9 | 116.1 | 33.3 | 8×19.0  | 7.5        | 5.6  | 7.1  |
| 5"     | 254.0 | 215.9 | 185.7 | 23.8 | 88.9  | 141.2 | 163.5 | 143.8 | 36.5 | 8×22.2  | 9.2        | 6.3  | 9.0  |
| 6"     | 297.4 | 241.3 | 215.9 | 25.4 | 88.9  | 168.4 | 192.1 | 170.7 | 39.7 | 8×22.2  | 11         | 7.5  | 11.8 |
| 8"     | 342.9 | 298.4 | 269.9 | 28.6 | 101.6 | 219.1 | 246.1 | 221.5 | 44.4 | 8×22.2  | 18.3       | 12.6 | 21.0 |
| 10"    | 406.4 | 361.9 | 323.8 | 30.2 | 101.6 | 273.0 | 304.8 | 276.3 | 49.2 | 12×25.4 | 25.0       | 18.5 | 30.0 |
| 12"    | 482.6 | 431.8 | 381.0 | 31.7 | 114.3 | 323.8 | 365.1 | 327.1 | 55.6 | 12×25.4 | 39.0       | 28.0 | 45.0 |
| 14"    | 533.4 | 476.2 | 412.7 | 34.9 | 127.0 | 355.6 | 400.0 | 359.1 | 57.1 | 12×28.6 | 51.0       | 36.0 | 59.0 |
| 16"    | 596.9 | 539.7 | 469.9 | 36.5 | 127.0 | 406.4 | 457.2 | 410.5 | 63.5 | 16×28.6 | 60.0       | 46.0 | 79.0 |
| 18"    | 635.0 | 577.8 | 533.4 | 39.7 | 139.7 | 457.2 | 504.8 | 461.8 | 68.3 | 16×31.7 | 71.0       | 50.0 | 97.0 |
| 20"    | 698.5 | 635.0 | 584.2 | 42.9 | 144.5 | 508.0 | 558.8 | 513.1 | 73.0 | 20×31.7 | 88.0       | 64.0 | 124  |
| 22"    | 749.3 | 692.1 | 641.2 | 46.0 | 149.2 | 558.8 | 609.6 | 564.4 | 79.4 | 20×34.9 | 102        | 72.0 | 151  |
| 24"    | 812.8 | 749.3 | 692.1 | 47.6 | 152.4 | 609.6 | 663.6 | 615.9 | 82.5 | 20×34.9 | 119        | 89.0 | 188  |


## 法兰 Flange



Welding Neck Flange



Slip-on Flange




Blank Flange


### B16.5 300LBS

| Size   | D     | K     | G     | B    | H     | A     | M     | J     | L     | SXC     | WEIGHT(kg) |      |      |
|--------|-------|-------|-------|------|-------|-------|-------|-------|-------|---------|------------|------|------|
|        |       |       |       |      |       |       |       |       |       |         | WN         | SO   | BL   |
| 1/2"   | 95.2  | 66.7  | 34.9  | 14.3 | 52.4  | 21.3  | 38.1  | 22.3  | 22.2  | 4x15.9  | 0.9        | 0.7  | 0.7  |
| 3/4"   | 117.5 | 82.5  | 42.9  | 15.9 | 57.1  | 26.7  | 47.6  | 27.7  | 25.4  | 4x19.0  | 1.5        | 1.1  | 1.2  |
| 1"     | 123.8 | 88.9  | 50.8  | 17.5 | 61.9  | 33.5  | 54.0  | 34.5  | 27.0  | 4x19.0  | 1.9        | 1.4  | 1.5  |
| 1 1/4" | 133.3 | 98.4  | 63.5  | 19.0 | 65.1  | 42.2  | 63.5  | 43.2  | 27.0  | 4x19.0  | 2.6        | 1.8  | 2.0  |
| 1 1/2" | 155.6 | 114.3 | 73.0  | 20.6 | 68.3  | 48.3  | 69.8  | 49.5  | 30.2  | 4x22.2  | 3.3        | 2.6  | 2.9  |
| 2"     | 165.1 | 127.0 | 92.1  | 22.2 | 69.8  | 60.3  | 84.1  | 62.0  | 33.3  | 8x19.0  | 3.6        | 3.4  | 3.4  |
| 2 1/2" | 190.5 | 149.2 | 104.8 | 25.4 | 76.2  | 73.1  | 100.0 | 74.7  | 38.1  | 8x22.2  | 5.4        | 4.4  | 5.1  |
| 3"     | 209.5 | 168.3 | 127.0 | 28.6 | 79.4  | 88.9  | 117.5 | 90.7  | 42.9  | 8x22.2  | 7.4        | 6.1  | 7.0  |
| 3 1/2" | 228.6 | 184.1 | 139.7 | 30.2 | 81.0  | 101.6 | 133.3 | 103.4 | 44.4  | 8x22.2  | 8.9        | 7.5  | 8.9  |
| 4"     | 254.0 | 200.0 | 157.2 | 31.7 | 85.7  | 114.3 | 146.0 | 116.1 | 47.6  | 8x22.2  | 11.9       | 10.1 | 11.8 |
| 5"     | 279.4 | 234.9 | 185.7 | 34.9 | 98.4  | 141.2 | 177.8 | 143.8 | 50.8  | 8x22.2  | 16.0       | 12.5 | 15.5 |
| 6"     | 317.5 | 269.9 | 215.9 | 36.5 | 98.4  | 168.4 | 206.4 | 170.7 | 52.4  | 12x22.2 | 20.2       | 14.1 | 21.3 |
| 8"     | 381.0 | 330.2 | 269.9 | 41.3 | 111.1 | 219.1 | 260.3 | 221.5 | 61.9  | 12x25.4 | 31.0       | 24.8 | 35.2 |
| 10"    | 444.5 | 387.3 | 323.4 | 47.6 | 117.5 | 273.0 | 320.7 | 276.3 | 66.7  | 16x28.6 | 44.3       | 37.1 | 57.0 |
| 12"    | 520.7 | 450.8 | 381.0 | 50.8 | 130.2 | 323.8 | 374.6 | 327.1 | 73.0  | 16x31.7 | 64.0       | 50.0 | 82.0 |
| 14"    | 584.2 | 514.3 | 412.7 | 54.0 | 142.9 | 355.6 | 425.4 | 359.1 | 76.2  | 20x31.7 | 88.0       | 70.0 | 106  |
| 16"    | 647.7 | 571.5 | 469.9 | 57.1 | 146.0 | 406.4 | 482.6 | 410.5 | 82.5  | 20x34.9 | 113        | 90.0 | 140  |
| 18"    | 711.2 | 628.6 | 533.4 | 60.3 | 158.7 | 457.2 | 533.4 | 461.8 | 88.9  | 24x34.9 | 134        | 112  | 178  |
| 20"    | 774.7 | 685.8 | 584.2 | 63.5 | 161.9 | 508.0 | 587.4 | 513.1 | 95.2  | 24x34.9 | 171        | 133  | 223  |
| 22"    | 838.2 | 742.9 | 641.2 | 66.7 | 165.1 | 558.8 | 641.2 | 564.4 | 101.6 | 24x41.3 | 195        | 197  | 270  |
| 24"    | 914.4 | 812.8 | 692.1 | 69.8 | 168.3 | 609.6 | 701.7 | 615.9 | 106.4 | 24x41.3 | 238        | 208  | 345  |


## 法兰 Flange



Welding Neck Flange



Slip-on Flange




Blank Flange

### B16.5 600LBS

| Size   | D     | K     | G     | B     | H     | A     | M     | J     | L     | SXC     | WEIGHT(kg) |      |      |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|------------|------|------|
|        |       |       |       |       |       |       |       |       |       |         | WN         | SO   | BL   |
| 1/2"   | 95.2  | 66.7  | 34.9  | 14.3  | 52.4  | 21.3  | 38.1  | 22.3  | 22.2  | 4×15.9  | 0.9        | 0.8  | 0.7  |
| 3/4"   | 117.5 | 82.5  | 42.9  | 15.9  | 57.1  | 26.7  | 47.6  | 27.7  | 25.4  | 4×19.0  | 1.5        | 1.4  | 1.2  |
| 1"     | 123.8 | 88.9  | 50.8  | 17.5  | 61.9  | 33.5  | 54.0  | 34.5  | 27.0  | 4×19.0  | 1.9        | 1.6  | 1.5  |
| 1-1/4" | 133.3 | 98.4  | 63.5  | 20.6  | 66.7  | 42.2  | 63.5  | 43.2  | 28.6  | 4×19.0  | 2.6        | 2.1  | 2.0  |
| 1-1/2" | 155.6 | 114.3 | 73.0  | 22.2  | 69.8  | 48.3  | 69.8  | 49.5  | 31.7  | 4×22.2  | 3.3        | 3.1  | 3.2  |
| 2"     | 165.1 | 127.0 | 92.1  | 25.4  | 73.0  | 60.3  | 84.1  | 62.0  | 36.5  | 8×19.0  | 4.7        | 3.7  | 4.3  |
| 2-1/2" | 190.5 | 149.2 | 104.8 | 28.6  | 79.4  | 73.1  | 100.0 | 74.7  | 41.3  | 8×22.2  | 6.5        | 5.4  | 6.0  |
| 3"     | 209.5 | 168.3 | 127.0 | 31.7  | 82.5  | 88.9  | 117.5 | 90.7  | 46.0  | 8×22.2  | 8.7        | 7.3  | 8.0  |
| 3-1/2" | 228.6 | 184.1 | 139.7 | 34.9  | 85.7  | 101.6 | 133.3 | 103.4 | 49.2  | 8×25.4  | 11.2       | 8.9  | 10.5 |
| 4"     | 273.0 | 215.9 | 157.2 | 38.1  | 101.6 | 114.3 | 152.4 | 116.1 | 54.0  | 8×25.4  | 18.1       | 11.8 | 18.0 |
| 5"     | 330.2 | 266.7 | 185.7 | 44.4  | 114.3 | 141.2 | 188.9 | 143.8 | 60.3  | 8×28.6  | 30.5       | 24.5 | 28.5 |
| 6"     | 355.6 | 292.1 | 215.9 | 47.6  | 117.5 | 168.4 | 222.2 | 170.7 | 66.7  | 12×28.6 | 36.2       | 29.5 | 35.5 |
| 8"     | 419.1 | 349.2 | 269.9 | 55.6  | 133.3 | 219.1 | 273.0 | 221.5 | 76.2  | 12×31.7 | 56.5       | 43.0 | 58.0 |
| 10"    | 508.0 | 431.8 | 323.4 | 63.5  | 152.4 | 273.0 | 342.9 | 276.3 | 85.7  | 16×34.9 | 91.0       | 70.0 | 98.0 |
| 12"    | 558.8 | 488.9 | 381.0 | 66.7  | 155.6 | 323.8 | 400.0 | 327.1 | 92.1  | 20×34.9 | 105        | 86.0 | 125  |
| 14"    | 603.2 | 527.0 | 412.7 | 69.8  | 165.1 | 355.6 | 431.8 | 359.1 | 93.7  | 20×38.1 | 125        | 100  | 151  |
| 16"    | 685.8 | 603.2 | 469.9 | 76.2  | 177.8 | 406.4 | 459.3 | 410.5 | 106.4 | 20×41.3 | 178        | 142  | 210  |
| 18"    | 742.9 | 654.0 | 533.4 | 82.5  | 184.1 | 457.2 | 546.1 | 461.8 | 117.5 | 20×44.4 | 261        | 175  | 287  |
| 20"    | 812.8 | 723.9 | 584.2 | 88.9  | 190.5 | 508.0 | 609.6 | 513.1 | 127.0 | 24×44.4 | 268        | 232  | 366  |
| 22"    | 869.9 | 777.9 | 641.2 | 95.2  | 196.8 | 558.8 | 666.7 | 564.4 | 133.3 | 24×47.6 | 328        | 292  | 437  |
| 24"    | 939.8 | 838.2 | 692.1 | 101.6 | 203.2 | 609.6 | 717.5 | 615.9 | 139.7 | 24×50.8 | 380        | 330  | 532  |

# 法兰 Flange


**DIN 2576-DIN 11850**



**对焊法兰  
Butt Weld Flange**

| DN  | A        | B   | C   | H1 | H  |
|-----|----------|-----|-----|----|----|
| 10  | 13 x 1.5 | 60  | 90  | 14 | 35 |
| 15  | 19 x 1.5 | 65  | 95  | 14 | 35 |
| 20  | 23 x 1.5 | 75  | 105 | 14 | 38 |
| 25  | 29 x 1.5 | 85  | 115 | 16 | 38 |
| 32  | 35 x 1.5 | 100 | 140 | 16 | 40 |
| 40  | 41 x 1.5 | 110 | 150 | 16 | 42 |
| 50  | 53 x 1.5 | 125 | 165 | 16 | 45 |
| 65  | 70 x 2   | 145 | 185 | 16 | 45 |
| 80  | 85 x 2   | 160 | 200 | 18 | 50 |
| 100 | 104 x 2  | 180 | 220 | 18 | 52 |
| 125 | 129 x 2  | 210 | 250 | 18 | 55 |
| 150 | 154 x 2  | 240 | 285 | 18 | 55 |

**DIN 2576-DIN 11850**



**平板法兰  
Plate Flange**

| DN  | A   | B   | C   | D     | H  |
|-----|-----|-----|-----|-------|----|
| 10  | 10  | 60  | 90  | 13.2  | 14 |
| 15  | 16  | 65  | 95  | 19.2  | 14 |
| 20  | 20  | 75  | 105 | 23.2  | 14 |
| 25  | 26  | 85  | 115 | 29.2  | 16 |
| 32  | 32  | 100 | 140 | 35.2  | 16 |
| 40  | 38  | 110 | 150 | 41.2  | 16 |
| 50  | 50  | 125 | 165 | 53.2  | 16 |
| 65  | 66  | 145 | 185 | 70.5  | 16 |
| 80  | 81  | 160 | 200 | 85.2  | 18 |
| 100 | 100 | 180 | 220 | 104.5 | 18 |
| 125 | 125 | 210 | 250 | 129.5 | 18 |
| 150 | 150 | 240 | 285 | 154.5 | 18 |
| 200 | 200 | 295 | 340 | 204.5 | 20 |




## 法兰 Flange

### 法兰组件 Flange Fittings

| DN  | A   | B   | C     | D   | L  |
|-----|-----|-----|-------|-----|----|
| 10  | 10  | 15  | 44    | 62  | 40 |
| 15  | 16  | 21  | 50    | 68  | 40 |
| 20  | 20  | 25  | 59    | 75  | 40 |
| 25  | 26  | 32  | 73    | 87  | 40 |
| 32  | 32  | 37  | 78    | 92  | 40 |
| 40  | 38  | 43  | 82.5  | 97  | 50 |
| 50  | 50  | 55  | 95.5  | 110 | 50 |
| 65  | 66  | 72  | 112.5 | 127 | 50 |
| 80  | 81  | 87  | 127.5 | 142 | 60 |
| 100 | 100 | 106 | 147.5 | 162 | 60 |
| 125 | 125 | 132 | 180   | 200 | 80 |
| 150 | 150 | 157 | 210   | 230 | 90 |


### DIN11850



### 平面焊接法兰 Welding Flange With Flat

| DN  | A   | B   | C     | D   | L  |
|-----|-----|-----|-------|-----|----|
| 10  | 10  | 15  | 44    | 62  | 20 |
| 15  | 16  | 21  | 50    | 68  | 20 |
| 20  | 20  | 25  | 59    | 75  | 20 |
| 25  | 26  | 32  | 73    | 87  | 20 |
| 32  | 32  | 37  | 78    | 92  | 20 |
| 40  | 38  | 43  | 82.5  | 97  | 25 |
| 50  | 50  | 55  | 95.5  | 110 | 25 |
| 65  | 66  | 72  | 112.5 | 127 | 25 |
| 80  | 81  | 87  | 127.5 | 142 | 30 |
| 100 | 100 | 106 | 147.5 | 162 | 30 |
| 125 | 125 | 132 | 180   | 200 | 40 |
| 150 | 150 | 157 | 210   | 230 | 45 |


### DIN11850



### 凹面焊接法兰 Welding Flange With Concave


| DN  | A   | B   | C     | D   | L  |
|-----|-----|-----|-------|-----|----|
| 10  | 10  | 15  | 44    | 62  | 20 |
| 15  | 16  | 21  | 50    | 68  | 20 |
| 20  | 20  | 25  | 59    | 75  | 20 |
| 25  | 26  | 32  | 73    | 87  | 20 |
| 32  | 32  | 37  | 78    | 92  | 20 |
| 40  | 38  | 43  | 82.5  | 97  | 25 |
| 50  | 50  | 55  | 95.5  | 110 | 25 |
| 65  | 66  | 72  | 112.5 | 127 | 25 |
| 80  | 81  | 87  | 127.5 | 142 | 30 |
| 100 | 100 | 106 | 147.5 | 162 | 30 |
| 125 | 125 | 132 | 180   | 200 | 40 |
| 150 | 150 | 157 | 210   | 230 | 45 |

### DIN11850



# 法兰 Flange


Inch



## 法兰组件 Flange Fittings

| DN   | A     | B     | C     | D   | L  |
|------|-------|-------|-------|-----|----|
| 1.0" | 22.1  | 25.4  | 73    | 87  | 40 |
| 1.5" | 34.8  | 38.1  | 82.5  | 97  | 50 |
| 2.0" | 47.5  | 50.8  | 95.5  | 110 | 50 |
| 2.5" | 60.2  | 63.5  | 112.5 | 127 | 50 |
| 3"   | 72.9  | 76.2  | 127.5 | 142 | 55 |
| 4"   | 97.38 | 101.6 | 147.5 | 162 | 55 |


Inch



## 平面法兰 Welding Flange With Flat

| DN   | A     | B     | C     | D   | L  |
|------|-------|-------|-------|-----|----|
| 1.0" | 22.1  | 25.4  | 73    | 87  | 20 |
| 1.5" | 34.8  | 38.1  | 82.5  | 97  | 25 |
| 2.0" | 47.5  | 50.8  | 95.5  | 110 | 25 |
| 2.5" | 60.2  | 63.5  | 112.5 | 127 | 25 |
| 3"   | 72.9  | 76.2  | 127.5 | 142 | 30 |
| 4"   | 97.38 | 101.6 | 147.5 | 162 | 30 |

Inch



## 凹面焊接法兰 Welding Flange With Concave

| DN   | A     | B     | C     | D   | L  |
|------|-------|-------|-------|-----|----|
| 1.0" | 22.1  | 25.4  | 73    | 87  | 20 |
| 1.5" | 34.8  | 38.1  | 82.5  | 97  | 25 |
| 2.0" | 47.5  | 50.8  | 95.5  | 110 | 25 |
| 2.5" | 60.2  | 63.5  | 112.5 | 127 | 25 |
| 3"   | 72.9  | 76.2  | 127.5 | 142 | 25 |
| 4"   | 97.38 | 101.6 | 147.5 | 162 | 25 |