

219 North Arkansas Street Rogers, AR 72756 Phone: (479) 636-4361; 800-643-3426 Fax: (479) 636-3562 Email: <u>biosales@pel-freez.com</u> Website: <u>www.pelfreez-bio.com</u>

# **PRODUCT DATA SHEET**

## Product Name: ANTI-TYROSINE HYDROXYLASE ANTIBODY

**Product Code:** P40101-150

Pack Size:

150 µL

**Description:** Tyrosine hydroxylase (TH) is the rate-limiting enzyme in the synthesis of the catecholamines dopamine and norepinephrine. TH antibodies can therefore be used as markers for dopaminergic and noradrenergic neurons in a variety of applications including depression, schizophrenia, Parkinson's disease and drug abuse (Kish et al., 2001; Zhu et al., 2000; Zhu et al., 1999). TH antibodies can also be used to explore basic mechanisms of dopamine and norepinephrine signaling (Witkovsky et al., 2000; Salvatore et al., 2001; Dunkley et al., 2004).

| Physical State:         | Liquid; Buffer contents: 10 mM<br>HEPES (pH 7.5), 150 mM NaCl, 100<br>µg per mL BSA and 50% glycerol   |
|-------------------------|--|
| Storage/Stability:      | Stable at -20 °C for at least 1 year.<br>For long term storage -20 °C is<br>recommended  |
| Purification<br>Method: | Prepared from rabbit serum by<br>affinity purification using a protein<br>A column and using a column to<br>which the immunogen was coupled. |
| Shipping<br>Conditions: | Domestic: Blue Ice<br>International: Blue Ice or Dry Ice   |

| Host Species:     | Rabbit | (Polyclonal) |
|-------------------|--------|--------------|
| <i>M</i> r (kDa): | 60     |              |

**Immunogen:** SDS-denatured rat tyrosine hydroxylase, purified from pheochromocytoma

**Species Reactivity:** All mammalian and at least some non-mammalian forms of the enzyme in Western blots and in IHC/IF.

## **Recommended Antibody Dilutions:**


## WB, IF, IHC: 1:1000

### **References:**

- 1) Dunkley PR et al. (2004) *J Neurochem* 91:1025-1043.
- 2) Kish SJ et al. (2001) *Neuropsychopharmacology* 24:561-567.
- 3) Salvatore MF et al. (2001) *J Neurochem* 79:349-360.
- 4) Witkovsky P et al. (2000) *J Chem Neuroanat* 19:105-116.
- 5) Xu ZQ et al. (1998) Neurosci 82:727-738.
- 6) Zhu MY et al. (2000) J Neurosci Meth 99:37-44.
- 7) Zhu MY et al. (1999) *Biol Psychiatry* 46:1275-1286.

#### Western Blot

10 ug of rat caudate lysate showing specific TH immunolabeling of the ~60k TH protein.



Application Key: WB – Western Blot IF – Immunofluorescence IHC – Immunohistochemistry IP - Immunoprecipitation

P/N: 74075 Rev 02

Page 1 of 1

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.