

## 測試報告

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 1 of 10

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : NYLON 66, 94V-2 (BLACK)  
樣品型號(Style/Item No.) : 請參閱第四~七頁 (PLEASE REFER TO PAGE 4~7)  
收件日期(Sample Receiving Date) : 2009/08/13  
測試期間(Testing Period) : 2009/08/13 TO 2009/08/20

測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method) : 參考 IEC 62321: 2008 方法檢測. (With reference to IEC 62321: 2008. Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).

- (1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
- (2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
- (3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
- (4) 用 UV-VIS 檢測六價鉻含量. / Determination of Hexavalent Chromium by UV/Vis Spectrometry.
- (5) 以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量. / Determination of PBB and PBDE by GC/MS.

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客戶所提供樣品的測試結果，符合 RoHS(2002/95/EC) 及其修定指令之要求 (Based upon the performed tests by submitted samples, the test results **comply with** the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Chenyu Kung / Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 2 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)	RoHS 限值 (Limit)
		No.1		
鎘 / Cadmium (Cd)	(1)	n.d.	2	100
鉛 / Lead (Pb)	(2)	n.d.	2	1000
汞 / Mercury (Hg)	(3)	n.d.	2	1000
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	(4)	n.d.	2	1000
<b>多溴聯苯總和 / Sum of PBBs</b>	(5)	n.d.	-	1000
一溴聯苯 / Monobromobiphenyl		n.d.	5	-
二溴聯苯 / Dibromobiphenyl		n.d.	5	-
三溴聯苯 / Tribromobiphenyl		n.d.	5	-
四溴聯苯 / Tetrabromobiphenyl		n.d.	5	-
五溴聯苯 / Pentabromobiphenyl		n.d.	5	-
六溴聯苯 / Hexabromobiphenyl		n.d.	5	-
七溴聯苯 / Heptabromobiphenyl		n.d.	5	-
八溴聯苯 / Octabromobiphenyl		n.d.	5	-
九溴聯苯 / Nonabromobiphenyl		n.d.	5	-
十溴聯苯 / Decabromobiphenyl		n.d.	5	-
<b>多溴聯苯醚總和 / Sum of PBDEs</b>		n.d.	-	1000
一溴聯苯醚 / Monobromodiphenyl ether		n.d.	5	-
二溴聯苯醚 / Dibromodiphenyl ether		n.d.	5	-
三溴聯苯醚 / Tribromodiphenyl ether		n.d.	5	-
四溴聯苯醚 / Tetrabromodiphenyl ether		n.d.	5	-
五溴聯苯醚 / Pentabromodiphenyl ether		n.d.	5	-
六溴聯苯醚 / Hexabromodiphenyl ether		n.d.	5	-
七溴聯苯醚 / Heptabromodiphenyl ether		n.d.	5	-
八溴聯苯醚 / Octabromodiphenyl ether		n.d.	5	-
九溴聯苯醚 / Nonabromodiphenyl ether	n.d.	5	-	
十溴聯苯醚 / Decabromodiphenyl ether	n.d.	5	-	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告

## Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 3 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



### 測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 黑色塑膠 (BLACK PLASTIC)

### 備註(Note):

1. mg/kg = ppm; 0.1wt% = 1000ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. "-" = Not Regulated (無規格值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告

## Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 4 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



樣品型號(Style/Item No.):

粘貼式扣線套 ADHESIVE WIRE SADDLE (AWS SERIES)
可調式配線固定鈕 ADJUSTABLE CABLE CLAMP (PC, AP, ATC SERIES)
粘式PC隔離柱 ADHESIVE PCB SUPPORT (MMR SERIES)
珠形紮線帶 BEAD TIE (TV SERIES)
壁虎型隔離柱 BLIND HOLD PCB SUPPORT (BCS SERIES)
配線固定鈕 CABLE CLAMP (UC, KUC, TS, PTS, DCC, RC SERIES)
電纜槽固定紮線帶 CABLE TRAY FIXING TIE (CTF SERIES)
鉚釘 CANOE RIVET (SN SERIES)
電容器座 CAPACITOR HOUSING (CAP SERIES)
CATV固定座 CATV SIDING CLIP (CATV SERIES)
基板固定紮線帶 CHASSIS TIE (KFC SERIES)
PC板耳把 CIRCUIT BOARD EJECTOR (BE SERIES)
PC板軌道 CIRCUIT BOARD TRACK (BT SERIES)
夾入式扭線環 CLIP TWIST TIE (CTT SERIES)
閉端端子 CLOSE-END WIRE CONNECTOR (CE SERIES)
圓錐體墊片 CONOID WASHER (CDW SERIES)
門扣 DOOR LOCK (DR SERIES)
雙頭式紮線帶 DOUBLE HEAD CABLE TIE (DCV, RDCV SERIES)
雙扣式珠孔紮線帶 DOUBLE HEAD KNOT TIE (KTV SERIES)
雙鎖式紮現帶 DOUBLE LOCKING CABLE TIE (DL, DK SERIES)
雙導線夾線套 DOUBLE ROUTING CLIP (DR SERIES)
快速型浪管固定頭 EASY TYPE FLEXIBLE CONDUIT ADAPTOR (BGQ, PAQ SERIES)
方型護線套 EDGING WIRE SADDLE (HL, ES SERIES)
超寬型紮線帶 EXTRA HEAVY DUTY TIE (CV SERIES)
排線固定夾 FLAT CABLE CLAMP (FC, FCT, FCP, FCW SERIES)
浪管固定頭 FLEXIBLE CONDUIT ADAPTOR (BG SERIES)
耐扭直角型電源線扣 FLEXIBLE RIGHT ANGLE STRAIN RELIEF BUSHING (SR SERIES)
耐扭型電源線扣 FLEXIBLE STRAIN RELIEF BUSHING (SR SERIES)
撥開式配線槽 FLEXIBLE WIRING DUCT (FD SERIES)
腳墊 HEADBOARD WASHER (HBW SERIES)
六角隔離柱 HEXAGONAL SPACER (HTN SERIES)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告

## Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 5 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



六角內螺紋隔離柱 HEXAGONAL TAPPED SPACER (HTP SERIES)
六角隔離柱 HEXAGONAL THREADED SPACER (HTS SERIES)
扣式塞頭 HOLE PLUG (HP SERIES)
插頭護蓋 HOUSING COVER (RHR SERIES)
反穿式尼龍紮線帶 IN-LINE CABLE TIE (FCV, RRCV SERIES)
固定珠孔紮線帶 KNOT TIE (BALL TYPE) (TV, STV SERIES)
LED座 LED HOLDER (LD3, LE, LK, LX, LQT, LQ, LDT, LY, LG3, LG, LH, LHN, PLU, LHK, PLK, PLM, PLX, PLW, PLD1, PLD2, PLD4, PLT, PLR, PCL SERIES)
馬鞍型夾線套 (鉤式) LOCKING WIRE SADDLE (KWS, WS SERIES)
標誌銘牌 MARKER PLATE (MT SERIES)
標誌靶 MARKER STRIP (MS SERIES)
標示紮線帶 MARKER TIE (MCV SERIES)
接線夾 MID-WAY WIRE CONNECTOR (KW SERIES)
固定鎖式紮線帶 MOUNTING CABLE TIE (TCV, TCVS SERIES)
粘貼式扭線環 MOUNTING TWIST TIE (TTB SERIES)
電線固定夾 MOUNTING WIRE CLIP (MFC SERIES)
自由絕緣保護套 MOVABLE BUSHING (KG SERIES)
N型夾線套 N TYPE WIRE SADDLE (PCC SERIES)
熱敏電阻座 NTC THERMISTOR HOUSING (TRH SERIES)
迫緊式電纜固定頭 NYLON CABLE GLAND (PG, AG, AGJ, EG, NPT SERIES)
耐扭迫緊式電纜固定頭 NYLON CABLE GLAND (WITH STRAIN RELIEF) (PG, AG, EG, AGJ SERIES)
尼龍螺帽 NYLON LOCK NUTS (EGH, AGH, NPTH, AGJH SERIES)
尼龍紮線帶 NYLON CABLE TIE (CV, NV, CVT SERIES)
尼龍紮線帶 (附阻擋點) NYLON CABLE TIE WITH STOPPER (CVS SERIES)
推式隔離柱 PCB EDGE SPACER (ES SERIES)
PC板固定扣 PCB HINGE (PH SERIES)
PC板隔離柱 PCB SUPPORT (CS, MCS, LCA, SP, SPA, SPB, SPC, SPD, DS, EB, MS, BMS, HMS, TMS, MMS, MMR, KCS, SPS, PB, PST, HGS, GS, SWS, LCS, LCL, PCU SERIES)
塑膠螺絲 PLASTIC FASTENERS (PF, PN SERIES)
雙扣扭線環 PURSE LOCK TWIST TIE (PL SERIES)
插鞘式電源線結束帶 PUSH MOUNT COLLECT TIE (PHV SERIES)
插鞘式紮線帶 PUSH MOUNT TIE (PCV, PCVS, PFVS, PGV, PSV, PWV, PDV, PWVS, PRVS, PUV SERIES)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告

## Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 6 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



PC板隔離頂柱 PUSH SPACER (PS SERIES)
插鞘式固定座 PUSH TIE MOUNT (PHC, PFS SERIES)
電纜固定頭轉接頭 ENLARGER GLANDS (M SERIES)
電纜固定頭轉接頭 REDUCTION GLANDS (M SERIES)
活用式紮線帶 RELEASIBLE CABLE TIE (HV, HVC, RCV SERIES)
可退式紮線帶 RELEASIBLE LASHING CABLE TIE (HRCV SERIES)
平底隔離柱 REVERSE LOCKING CIRCUIT BOARD SUPPORT (RS SERIES)
直角型電纜固定頭 RIGHT ANGLE NYLON CABLE GLAND (NPTA SERIES)
直角型電源線扣 RIGHT ANGLE STRAIN RELIEF BUSHING (SR SERIES)
圓體隔離柱 ROUND SPACER (RSP SERIES)
圓體墊片 ROUND WASHER (RW SERIES)
固定鎖式紮線帶 SADDLE MOUNTING TIE (PMA SERIES)
紮線固定座 SADDLE TYPE TIE MOUNT (HC SERIES)
平底隔離柱 SCREW FASTENED PCB SUPPORT (CS, CSA, RLS, SCS SERIES)
旋轉式鉚釘 SCREW ON RIVET (SR SERIES)
旋轉式塞頭 SCREW PLUG (MSP, PSP SERIES)
鉛封紮線帶 SECURITY TIE (SCT SERIES)
粘式配線固定座 SELF-ADHESIVE CABLE CLAMP (4J, 6J, 8J, 10J, 11J, 12J SERIES)
粘式配線固定座 SELF-ADHESIVE TIE MOUNT (HC, VC SERIES)
粘式固定夾 SELF-ADHESIVE WIRE CLIP (FC, SWC SERIES)
壓扣式結束帶 SNAP BAND (SNB SERIES)
扣式護線套 SNAP BUSHING (SB, RSB SERIES)
開口型扣式護線套 SNAP BUSHING (OPEN / CLOSED) (OSB SERIES)
尼龍鉚釘 SNAP RIVET (SR, SN SERIES)
尼龍捲式結束帶 NYLON SPIRAL WRAPPING BAND (KS SERIES)
高壓隔離線圈 SPACERS RING (SPR SERIES)
方型護線套 SQUARE HEAD GROMMET NUT (SGN SERIES)
隔離扭線環 STANDOFF TWIST TIE (ST SERIES)
電源線扣 STRAIN RELIEF BUSHING (SR SERIES)
電晶體蓋 TRANSISTOR COVER (TH SERIES)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告

## Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 7 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



電晶體座 TRANSISTOR HOUSING (TH, THR, TR SERIES)
電晶體墊片 TRANSISTOR WASHER (TW, TRW SERIES)
扣式扭線環 TWIST TIE (TT, TTU SERIES)
壁虎型固定座 WALL PLUG MOUNT (CH SERIES)
墊片 WASHER (WR SERIES)
扣式電線固定夾 WIRE CLIP (FC, WH SERIES)
電源線結束帶 WIRE COLLECT TIE (WCT SERIES)
插鞘式夾線套 WIRE SADDLE (JWS, JWB, DWS, OWS, PWS, BWS, TWS, RH, RWS, LWS, RCS SERIES)
配線標誌 SM TYPE CABLE MARKER (SM SERIES)
固定頭螺帽 LOCK NUT (EGL, AGL, NPTL, AGJL, EGH, AGH, NPTH, AGJH SERIES)
SM型配線標誌 SM TYPE CABLE MARKER (SM SERIES)
螺紋轉接頭 GLAND ADAPTOR (PG%M SERIES)
階梯式電線固定座 LADDER TYPE CABLE HOLDER (LCH SERIES)
機架用夾線套 WIRE SADDLE (LS SERIES)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 測試報告 Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 8 of 10

凱士士企業股份有限公司


KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



- 1) 根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 2) 測試人員：楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 測試報告 Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 9 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.




### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人：陳新智 / Name of the person in charge of measurement: Shinjyh Chen

初次測試程序 / First testing process →

選擇性篩檢程序 / Optional screen process .....

確認程序 / Confirmation process - - - - -



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.): CE/2009/82476

日期(Date): 2009/08/20

頁數(Page): 10 of 10

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



\*\* 報告結尾(End of Report) \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.