



BULL PACKAGING



**BOPP胶粘带**  
BOPP adhesive tape

**拉伸薄膜**  
Stretch film

深圳市巨牛包装材料有限公司  
SHENZHEN BULL PACKAGING MATERIAL CO.,LTD



**The largest production base of stretch film in china,  
with annual production of 30,000 tons.**

**中国最大的缠绕膜生产基地，年生产能力30,000吨。**

# 企业简介

COMPANY PROFILE

SHENZHEN BULL PACKAGING MATERIAL CO.,LTD was founded in 1993. It concentrates mainly business on producing high quality packing materials in ShenZhen with the subsidiary of BULL PACKAGING.INTERNATIONAL LTD.in HongKong.

Its' main business scope including: BOPP Packing Tape、LLDPE Stretch Film、Polythene Automatic Stick Fresh Film、Gummed Kraft Paper Tape、Stationery Tape、Printed Tape、Kraft Paper Tape、Double Sided Tape、Masking Tape、Duct Tape、PE Warning Tape、PVC Insulation Tape and etc.

BULL obeys "Sincerity & Honest、Preciseness、Practicality、Innovation" .Importing the latest advanced machines and excellent rawmaterial, BULL always manufacture highest quality products with competitiveprice and fancy packing for clients. In 2005, BULL assessed and certifiedISO9001:2000. In 2011,BULL assessed as HI-TECH Enterprise and Excellent Home for Emgration by Chinese government.

深圳市巨牛包装材料有限公司创办于1993年。是一家以生产高品质包装材料为主的企业，设有巨牛国际有限公司。

主要生产经营范围：LLDPE拉伸膜、BOPP封箱胶带、牧草膜、聚乙烯自粘保鲜膜、湿水牛皮纸胶带、文具胶带、印刷胶带、免水牛皮纸胶带、双面胶带、美纹胶带、布基胶带、警示胶带、电工胶带等。

巨牛一贯以“诚信、严谨、务实、创新”为宗旨，引进最先进的机器设备和最高品质的原材料，致力于以最低的价格和精美的包装，为客户提供优质的产品。在2005年，顺利通过ISO9001:2000认证，并于2007年至2011年被中国政府认证为“高新技术企业”和“优秀外地来深圳建设者之家”。

CONTENTS



## Equipment technology

## 设备技术



MULTILAYERS HIGH SPEED  
CAST STRETCH FILM LINE  
多层共挤流延膜机组



HIGH SPEED BOPP TAPE COATING LINE  
高速胶机



THREE LAYERS HIGH SPEED  
CAST STRETCH FILM LINE  
高速五层流延膜机



COMPUTERITED PRINTING MACHINE  
电脑多色印刷机

# HAND USE STRETCH FILM(手用拉伸膜)

## 1.SUPER THIN STRETCH FILM ( 超薄型 )


ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
SF-1201	18''/450mm	300m	12mic	1.50kg	2''/3''
SF-1202	18''/450mm	450m/1500'	12mic	2.23kg	2''/3''
SF-1203	20''/500mm	450m/1500'	12mic	2.48kg	2''/3''
SF-1501	18''/450mm	305m/1000'	15mic	1.90kg	2''/3''

## 2.HAND USE STRETCH FILM(普通型)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
SF-1801	18''/450mm	450m/1500'	18mic	3.35kg	2''/3''
SF-2001	18''/450mm	450m/1500'	20mic	3.73kg	2''/3''
SF-2301	20''/500mm	300m	23mic	3.17kg	2''/3''
SF-2302	20''/500mm	500m	23mic	5.29kg	2''/3''

## 3.PRE-STRETCH HAND USE FILM(预拉伸型)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
PSF-0801	15''/380mm	450m/1500'	8mic	1.26kg	2''/3''
PSF-0802	17''/430mm	450m/1500'	8mic	1.42kg	2''/3''
PSF-1001	15''/380mm	400m/1300'	10mic	1.40kg	2''/3''
PSF-1002	17''/430mm	400m/1300'	10mic	1.58kg	2''/3''






# PRE-STRETCHED FILM(预拉伸膜)

**厚度** 8-12 $\mu$ m  
Thickness

**节约成本** 50% ~ 30%  
Cost saving




8 $\mu$ m



12 $\mu$ m



18 $\mu$ m





## GRASS SILAGE FILM (牧草膜)



Suitable for use on all bale wrappers

Available in a wide range of colors.  
Excellent opacity  
giving uniform color dispersion

Excellent cling. wrap bales air tight for the duration of storage



# AUTOMATIC USE STRETCH FILM(机用拉伸膜)

## 1. PRE-STRETCH MACHINE USE FILM(预拉伸型)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
PMSF-2301	20''/500mm	1524m/5000'	23mic	16.12kg	3''
PMSF-2501	20''/500mm	1524m/5000'	25mic	17.53kg	3''

## 2. NORMAL MACHINE USE STRETCH FILM(普通型)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
MSF-2301	20''/500mm	1524m/5000'	23mic	16.12kg	3''
MSF-2501	20''/500mm	1524m/5000'	25mic	17.53kg	3''

**厚度 23-25μm**  
Thickness

**拉伸率 >400%**  
Stretch rate

**节约成本 >40%**  
Cost saving




普通机用膜  
GENERAL STRETCH FILM FOR MACHINE USE



预拉伸机用膜  
PRE-STRETCH FILM FOR MACHINE USE




拉伸后8μm AFTER STRETCHING 8μm  
拉伸前25μm BEFORE STRETCHING 25μm





# FOOD PRESERVATION FILM(食品保鲜膜)





# SPECIAL STRETCH FILM(特种拉伸膜)

## 1. MINI STRETCH FILM (迷你拉伸膜)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
SW-1701	100mm	200m	17mic	0.31kg	1''/1.5''
SW-1901	100mm	200m	19mic	0.35kg	1''/1.5''
SW-2301	100mm	200m	23mic	0.42kg	1''/1.5''



## 2. COLORFUL STRETCH FILM(彩色拉伸膜)

ITEM NO(编号)	WIDTH(宽度)	LENGTH(长度)	THICKNESS(厚度)	N.W.(净重)	CORE(纸芯)
SFC-2001	18''/450mm	457m/1500'	20mic	3.78kg	2''/3''
SFC-2301	20''/500mm	305m/1000'	23mic	3.23kg	2''/3''
SFC-2501	18''/450mm	305m/1000'	25mic	3.15kg	2''/3''



### 黑色缠绕膜

是加黑颜色的富有弹性及强度且无毒无害的柔软聚乙烯塑料薄膜，能很好起到防晒、防静电、抗氧化、屏蔽所包装物品等优点。

#### Black Stretch film:

with black color and intensity of elastic and non-toxic and harmless soft polyethylene plastic film, can play a good sunscreen, anti-static, anti-oxidant, shielding the packaged goods, etc.



### 彩色缠绕膜

具有色彩艳丽、拉伸强度高、抗刺穿、透明、自粘的特点。能降低包装成本，起到防尘、防潮、保洁增强整体包装强度的作用。

#### COLOR STRETCH FILM:

with colorful, high tensile strength, puncture resistance, transparency, self-adhesive characteristics. Can reduce packaging costs, dust, moisture, cleaning to enhance the overall strength of the role of packaging.

## 3. PRINTING STRETCH FILM(印刷拉伸膜)





# BOPP PACKAGING TAPE (OPP包装胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
OP-2FDL	48mmx50m	36sets/ctn	398x303x305	10.6	11.1
OP-1PDH2	48mmx20m	24sets/144sets	457x259x408	11.1	12.8
OP-6FL	48mmx66m	12sets/ctn	424x32.5x33	9.6	10.1
OPL-6FL	48mmx66m	12sets/ctn	424x32.5x33	9.6	10.1

Materials: Bopp film, Acrylic adhesive.

Applications:

- Medium and heavy duty carton sealing
- Bundling and strapping
- Meets postal regulations

主要材质:

BOPP膜, 压克力胶

主要用途:

封箱、固定、食品封罐、捆扎等





# BOPP PACKAGING TAPE (OPP包装胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
OPB-12PL	12mmx45m	24sets/ctn	394x298x303	6.8	7.3
OPB-10PL	15mmx45m	24sets/ctn	394x298x315	7.1	7.6
OP-4FL	48mmx50m	48rolls/ctn	398x204x303	6.25	6.75
OPC-2FD	48mmx50m	24sets/ctn	575x235x350	13	13.5
OPC-6FL	48mmx50m	12sets/ctn	402x304x303	9.6	10.1
OPB-8X	18mmx66m	24BOX/ctn	444x333x327	12.1	12.6





# INVISIBLE TAPE (隐形胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
IT-1820	18mmx20m	12sets/48sets	380x255x485	6.7	7.5
IT-1834	18mmx33m	60sets(8rolls)/ctn	358x300x315	14.6	15.1
IT-1835	18mmx33m	24sets/288sets	566x305x304	14	15.5
IT-1220	12mmx20m	24sets/192sets	380x360x371	13.1	14.6
IT-1821	18mmx20m	1sets(10rolls)/8sets	380x320x355	17.1	18
IT-1833	18mmx33m	48sets/384sets	380x320x355	12.7	14.2

- Useful for card and paper
- An excellent choice for permanent packing, sealing, mending, holding and splicing
- A favorite for the home, office and school work
- Accepts ink, pencil and marker

- 可用于卡片、纸张
- 是永久包装、密封、修补、连接和接合的最佳选择
- 非常适合于家庭、办公室和学校使用
- 钢笔、铅笔、唛克笔等均能书写





# BOPP STATIONERY TAPE (OPP文具胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
ST-1820	18mmx20m	48sets/96sets	400x330x265	10.3	11.5
ST-1810	18mmx10m	12box(30rolls)/ctn	470x320x245	4.6	5
ST-1833B	18mmx33m	60sets(8rolls)/ctn	340x285x310	10.5	11.1
ST-1835	18mmx33m	60sets(8rolls)/ctn	335x280x303	9.8	10.3
OPB-12PL	12mmx45m	24sets/ctn	394x298x303	6.8	7.3
ST-1821	18mmx20m	12sets/48sets	380x255x485	15.1	16.5







# MASKING TAPE(美纹胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
MS-1PX	24mmx18m	3pcs/36sets	315x310x315	5.5	6.0
MS-4825	48mmx25m	12sets/ctn	410x310x303	10.6	11.1
MS-1815	18mmx15m	36sets/144sets	448x250x431	13	14.5
MS-4826	48mmx25m	72rolls/ctn	418x316x303	10.4	10.9
MS-3625	36mmx25m	96rolls/ctn	418x316x303	10.4	10.9

- Masking during spraying, painting and sand blasting
- No residue when removed
- 喷漆、喷砂时遮蔽用
- 使用后不留残胶






# DOUBLE-SIDED TAPE (双面胶帶)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
DS-4815	48mmx15m	72rolls/ctn	489x316x303	11.9	12.4
DS-2410	24mmx10m	12sets/48sets	408x300x340	9.8	10.4
DS-2420	24mmx20m	48rolls/ctn	337x228x207	5.5	5.9
DS-1210	12mmx10m	288rolls/ctn	392x297x303	8.3	8.7
DS-3610	36mmx10m	96rolls/ctn	392x297x303	8.3	8.7

- Strong adhesion
- Easy tear
- Double-stick
- Used for adhere photos, envelope, posters, etc
- Used for shoe and leather industry

- 粘性好
- 易撕
- 双面都具有粘性
- 用于粘贴邮票、照片、信封等
- 用于制鞋业及皮革行业







# DUCT TAPE (布胶帶)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
DT-2FX	48mmx20m/5y(φ36mm)	1sets/48sets	489x251x304	16.3	16.8
DT-2410	24mmx10m	144pcs/ctn	407x309x313	6.9	7.4
DT-4805	48mmx5m	2sets(72rolls)/ctn	585x385x310	7	7.5

- Strong and durable
  - Heavy duty carton sealing
  - Spine binding of books and carpet joining
  - Strapping and bundling
- 粘性强、抗拉强度高、易撕、防潮  
 • 适合于重量物品包装、书籍装订、地毯装璜、粘合、密封等






# PVC INSULATION TAPE (电工胶帶)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
PS-1820	18mmx20m	48sets/384sets	380x320x355	17.1	18
PS-1810	18mmx10m	60sets(8rolls)/ctn	356x300x315	19	19.5
PS-1808	18mmx8m	12sets/48sets	410x390x237	6.1	6.7

- Widly used for wrapping automobile hardness, electronic industry etc
- Non-deteriorating
- High voltage resistance
- Weather resistant
- 广泛应用于汽车和电子行业
- 不易腐化
- 抗高压
- 不受天气影响





## WARNING TAPE (警示胶带)

ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
PE-4835	48mmx35m	72pcs/ctn	446x337x303	14.4	14.9
PM-4825	48mmx25m	72pcs/ctn	442x334x303	19	19.5

- Perfect for floor marking
- Draws attention to potential hazards and promotes safety
- 地面标志
- 危险警示标志



**No Adhesive!**  
无胶




## PVC LANE MARKING TAPE (地板胶带)

- Widely used for projects that need to highly visible, general identification marking
- Anti-abrasion & anti-corrosion
- Lane marking & hazard warning
- section segregation
- sealing and identifying
- 主要用于标明需高度重视的事物及区分事物
- 防损及防腐
- 警示作用
- 区域化分
- 密封及区分





**FILAMENT TAPE**  
纤维胶带



**DOUBLE SIDFOAM TAPE**  
双面海棉胶带



**ALUMINIUM FOIL TAPE**  
铝箔胶带



**KRAFT TAPE(免水牛皮纸胶带)**

- Used for packing ,carton sealing
- Easy tear by hand
- High grade packing and harmonious with carton
- 用于包装及封箱
- 易撕
- 高等级包装, 与纸箱颜色很协调



**REINFORCED GUMMEDKRAFT PAPER TAPE(湿水有线牛皮纸胶带)**

- Laminated with fiberglass
- Excellent for heavy duty packing
- Water activated
- 内镶玻璃纤维
- 适用于重包装
- 遇水便有粘性



**GUMMED KRAFT PAPER TAPE(湿水牛皮纸胶带)**

- Water activity
- High adhesion & strong tensile strength
- Printable and writable no-noise
- Free of pollution, burnable
- High grade packing and harmonious with carton
- 遇水便有粘性
- 粘性好, 拉力强
- 可印刷, 可书写, 无声
- 环保的, 可燃的
- 高等级的包装, 与纸箱颜色一致





## DISPENSER FAMILY (切割器家族)


ITEM NO(编号)	SIZE(规格)	PACKING(包装方式)	CTN(外箱尺寸) mm	N.W.(净重)kg	G.W.(毛重)kg
T20081-S	100mmx46mmx47mm	72pcs	345x225x320	14	15
T20011	184mmx50mmx103mm	24pcs	475x200x345	24	25
T20051-N	104mmx54mmx45mm	72pcs	410x230x300	18	19
T30001	100mmx37mmx70mm	288pcs	540x430x510	12	13
T15014	170mmx130mmx51mm	40pcs	840x275x320	17.5	19
T30007	98mmx32mmx60mm	144pcs	375x320x205	2.5	3
T20031-N	215mmx90mmx108mm	12pcs	375x230x350	18	19
T20054	118mmx74mmx68mm	72pcs	480x260x480	18	19
T20098	202mmx101mmx138mm	8pcs	440x220x320	19	20.5
T15008	235mmx163mmx68mm	24pcs	560x250x500	11	12
T15020	65mmx115mmx30mm	144pcs	525x310x355	12	13
T15010	235mmx163mmx68mm	24pcs	560x250x500	11	12
T15010-N	235mmx163mmx68mm	24pcs	560x250x500	11	12
T15018	265mmx165mmx95mm	24pcs	510x400x520	13	14
T15088	246mmx153mmx68mm	24pcs	560x250x510	12	13




T15008



T15020



T15010-N



T10490



T15018



T15088



612P



616A




T20081-S




T20011



T20051-N



T30001



T15014



T30007



T20031-N



T20054



T20098



FS-102



FS-107



FS-106



地址:深圳市坪山新区坑梓街道宝田一路8号

Address: Baotian Road NO: 8 ,Kengzi Street . Pingshan District .  
ShenZhen .china

邮箱(E-MAIL) : OPERATION@SZYOST.COM

电话(TEL) : (0086) 755-33533539

传真(FAX) : (0086) 755-28713130

邮编(ZIP) : 518116